# MATERIAL SAFETY DATA SHEET Sales Order: {Sales Order:



Akzo Nobel Coatings Interlux Yacht Finishes 2270 Morris Avenue P. O. Box 386 Union, NJ 07083 EMERGENCY NUMBERS: (800) 424-9300 (703) 527-3887 (800) 854-6813 CUSTOMER SERVICE: (800) 589-1267 (800) 631-7481

CHEMTREC (USA) CHEMTREC (Intl) Poison Control Center (Non-Emergency) International Paint Interlux

## 1. GENERAL INFORMATION

#### Product Identity:

#### T0031 SLOW DRYING RED BRUSH APPLIED TOPCOATS

## Bulk Sales Reference No: OT0031

**IMPORTANT:** Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

**NOTICE:** OSHA hazardous chemicals are listed in Section 2 if present at 1% or more. Carcinogens and extraordinarily/special hazardous chemicals are listed in Section 2 if present at .1% or more. Additional regulatory information for specific chemical categories is included in Section 15.

## 2. HAZARDOUS INGREDIENT INFORMATION

CAS No.	Ingredient Name & %	Source	Exposure Data
0000112–07–2 a	Ethylene glycol monobutyl ether acetate 100% by Weight	OSHA:	No Established Limit
		ACGIH:	20 ppm TWA
		NIOSH:	5 ppm TWA; 33 mg/m3 TWA
		Supplier:	No Established Limit
		OHSA, CAN:	20 ppm TWAEV
		Mexico:	No Established Limit
		Brazil:	No Established Limit
		Source	Health Data
		NIOSH:	Adverse effects on blood and hematopoietic system tissue irritation
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

#### 3. HAZARD IDENTIFICATION

Overview:	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.		
Inhalation:	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.		
Eyes:	Causes severe eye irritation. Avoid contact with eyes.		
Skin:	Causes skin irritation. May be harmful if absorbed through the skin.		
Ingestion:	Harmful if swallowed. Ma	y cause abdominal pain, nausea, von	niting, diarrhea, or drowsiness.
Chronic Effects:			
HMIS Rating:	Health: 1	Flammability: 2	Reactivity: 0

4. FIRST AID MEASURES

General:	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion:	If swallowed, immediately contact Poison Control Center at 1–800–854–6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

## 5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Respiratory:	Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1–800–243–4630, in Canada call 1–800–267–4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes:	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin/Hand:	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site–specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls:	Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.
Other Work Practices:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

## 6. FIRE AND EXPLOSION INFORMATION

Flash Point:	F: 160 C: 71
	0. 71
Lower Explosive Limit (LEL):	.8 (%vol in air) at Normal Atmospheric Temp and Pressure
Fire and Explosion Hazards:	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discared after each use. FLAMMABLE/COMBUSTIBLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated.
Fire Fighting Procedures:	Also Reference Emergency Response Guide Number: Not Determined

## 7. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid Colourless
pH:	No Established Limit
Specific Gravity:	0.942
Boiling Point (F):	367
Vapor Density:	Heavier than air
VOC Content (lbs):	Refer to the Technical Data Sheet for this product.
Evaporation Rate:	Slower than ether

VOHAP content (gm/litre of paint):0.00 (as supplied)

## VOHAP content (gm/litre of Solid Coating): 0.00 (as supplied)

UN / NA Number:

DOT Packing Group:

Not Regulated

Not Regulated

	8. 5	STABILITY AND REACTIVITY DATA
General:		azardous polymerization will not occur. Not sensitive to mechanical impact. Excessive can occur if improperly handled.
Incompatible Materials:	Strong oxidizing agents.	
Hazardous Decompostion:	May produce hazardous fun Dioxide and Carbon Monoxi	nes when heated to decomposition as in welding. Fumes may produce Carbon de.
	9.	HANDLING AND STORAGE
Storage Temperature:	Store between 32 and 120 F	=
Handling and Storage Precautions:	heaters, electric motors and flash fire or ignite explosivel cross-ventilation. Avoid con	as and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, other sources of ignition during use and until all vapors are gone. Vapors may cause y. Prevent build-up of vapors by opening all windows and doors to achieve tact with eyes and clothing. Avoid prolonged or repeated contact with skin. Close ash thoroughly after handling.
	1	0. TOXICOLOGICAL DATA
General:	permanent brain and nervou	ociated repeated and prolonged occupational overexposure to solvents with us system damage. Intentional misuse by deliberately concentrating and inhaling the fatal. No additional information provided for this product. See Section 2 for chemical
		11. ECOLOGICAL DATA
General:	No additional information pro	ovided for this product. See Section 2 for chemical specific data.
	12. <i>F</i>	ACCIDENTAL RELEASE MEASURES
Spill Response Procedures Public Safety:	non-sparking equipment to Stop leak if you can do so w vapor suppressing foam ma non-combustible material a CALL CHEMTREC at (800)- 25 to 50 meters (80 to 160 f	SOURCES (no smoking, flares, sparks or flames in immediate area). Use only handle spilled material and absorbent. Do not touch or walk through spilled material. <i>ithout</i> risk. Prevent entry into waterways, sewers, basements or confined areas. A y be used to reduce vapors. Absorb or cover with dry earth, sand, or other nd transfer to containers. Use non-sparking tools to collect absorbed material. -424-9300 for emergency response. Isolate spill or leak area immediately for at least eet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at ).
	Also, Reference Emergency	Response Guide Number: Not Determined
	13.	DISPOSAL CONSIDERATION
Waste Disposal:	Dispose of in accordance with 15 if listed).	ith local, state and federal regulations. (Also reference RCRA information in Section
	14.	TRANSPORTATION INFORMATION
DOT (Dome DOT Proper Shipping Nam Not Regulated	estic Surface Transportation) e:	IMO / IMDG (Ocean Transportation) IMDG Proper Shipping Name: Not Regulated
DOT Hazard Class:	NR	IMDG Hazard Class:

UN Number:

IMDG Packing Group:

Not Regulated

Not Regulated

CERCLA/DOT RQ:	Not Applicable gal. / Not Applicable System Reference Code: 193
15	. REGULATORY INFORMATION
Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory. <b>Note:</b> Any chemical ingredients listed in Section 15, that do not also appear in Section 2, are contained in the product at a concentration below the applicable OSHA threshold level of 1% or 0.1%.
WHMIS Classification:	No Established Limit
Regulatory List	Product Ingredients on List
DOT Marine Pollutants (10%): (No Product Ingredients Listed) DOT Severe Marine Pollutants (1%): (No Product Ingredients Listed) EPCRA 311/312 Chemicals and RQs (>.1%): (No Product Ingredients Listed) EPCRA 302 Extremely Hazardous (>.1%): (No Product Ingredients Listed) EPCRA 313 Toxic Chemicals (>.1%): (No Product Ingredients Listed) Mass RTK Substances (>1%): (No Product Ingredients Listed) Mass Extraordinarily Haz Sub (>.01%): (No Product Ingredients Listed) Penn RTK Substances (>1%): (No Product Ingredients Listed) Penn RTK Substances (>1%): (No Product Ingredients Listed) Penn Special Hazardous Substances (>.01%): (No Product Ingredients Listed) Rhode Island Hazardous Substances (>.1%): (No Product Ingredients Listed) Rhode Island Hazardous Substances (>.1%): (No Product Ingredients Listed) RCRA Status: (No Product Ingredients Listed) N.J. RTK Substances (>1%): (No Product Ingredients Listed) N.J. RTK Substances (>1%): (No Product Ingredients Listed) N.J. Special Hazardous Substances (>.1%):	
Substances (>.01%) : (No Product Ingredients Listed) N.J. Env. Hazardous Substance (>.1%) :	s
(No Product Ingredients Listed)	

Proposition 65 - Carcinogens (>0%): (No Product Ingredients Listed) Proposition 65 - Female Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)

## 16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

## FOR PROFESSIONAL USE ONLY

**IMPORTANT NOTE** The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

#### **Head Office**

International Paint, LLC, 6001 Antoine Drive, Houston, Texas 77091. http://www.international-pc.com or http://www.international-marine.com

End Of Document